

# FINAL NEET(UG)-2025 (EXAMINATION)

(Held On Sunday 4th MAY, 2025)

# **CHEMISTRY**

# **46**. The ratio of the wavelengths of the light absorbed by a Hydrogen atom when it undergoes $n = 2 \rightarrow n = 3$ and $n = 4 \rightarrow n = 6$ transitions, respectively, is

(1) 
$$\frac{1}{36}$$

(2) 
$$\frac{1}{16}$$

(3) 
$$\frac{1}{9}$$

(2) 
$$\frac{1}{16}$$
 (3)  $\frac{1}{9}$  (4)  $\frac{1}{4}$ 

# Ans. (4)

- **47.** Which of the following statements are true?
  - A. Unlike Ga that has a very high melting point, Cs has a very low melting point.
  - B. On Pauling scale, the electronegativity values of N and Cl are not the same.
  - C. Ar,  $K^+$ ,  $C\Gamma$ ,  $Ca^{2+}$ , and  $S^{2-}$  are all isoelectronic species.
  - D. The correct order of the first ionization enthalpies of Na, Mg, Al, and Si is Si > Al > Mg > Na.
  - E. The atomic radius of Cs is greater than that of Li and Rb.

Choose the **correct** answer from the options given

- (1) A, B and E only
- (2) C and E only
- (3) C and D only
- (4) A, C and E only

List II

### Ans. (2)

48. Match List I with List II

List I

	(Ion)	((	(Group Number in		
			Cation Analysis)		
A.	$Co^{2+}$	I.	Group-I		
B.	${\rm Mg}^{\scriptscriptstyle 2+}$	II.	Group-III		
C.	$Pb^{2+}$	III.	Group-IV		
D.	$Al^{3+}$	IV.	Group-VI		


Choose the **correct** answer from the option given below:

- (1) A-III, B-IV, C-II, D-I
- (2) A-III, B-IV, C-I, D-II
- (3) A-III, B-II, C-IV, D-I
- (4) A-III, B-II, C-I, D-IV
- Ans. (2)

# TEST PAPER WITH ANSWER

**49**. Predict the major product 'P' in the following sequence of reactions-

CH<sub>3</sub> (i) HBr, benzoyl peroxide (ii) KCN (iii) Na(Hg)/
$$C_2H_5OH$$
 P (Major)



- Ans. (1)
- **50**. Energy and radius of first Bohr orbit of He<sup>+</sup> and Li<sup>2+</sup>

[Given 
$$R_H = 2.18 \times 10^{-18} \text{ J}$$
,  $a_0 = 52.9 \text{ pm}$ ]

(1) 
$$E_n(Li^{2+}) = -19.62 \times 10^{-18} \text{ J};$$
  
 $r_n(Li^{2+}) = 17.6 \text{ pm}$   
 $E_n(He^+) = -8.72 \times 10^{-18} \text{ J};$   
 $r_n(He^+) = 26.4 \text{ pm}$ 

(2) 
$$E_n(Li^{2+}) = -8.72 \times 10^{-18} \text{ J};$$
  
 $r_n(Li^{2+}) = 26.4 \text{ pm}$   
 $E_n(He^+) = -19.62 \times 10^{-18} \text{ J};$   
 $r_n(He^+) = 17.6 \text{ pm}$ 

(3) 
$$E_n(Li^{2+}) = -19.62 \times 10^{-16} \text{ J};$$
  
 $r_n(Li^{2+}) = 17.6 \text{ pm}$   
 $E_n(He^+) = -8.72 \times 10^{-16} \text{ J};$   
 $r_n(He^+) = 26.4 \text{ pm}$ 

$$\begin{split} \text{(4)} \quad E_{\text{n}}(\text{Li}^{2+}) &= -8.72 \times 10^{-16} \, \text{J}; \\ r_{\text{n}}(\text{Li}^{2+}) &= 17.6 \, \text{pm} \\ E_{\text{n}}(\text{He}^+) &= -19.62 \times 10^{-16} \, \text{J}; \\ r_{\text{n}}(\text{He}^+) &= 17.6 \, \text{pm} \end{split}$$

Ans. (1)

**Predict Your NEET-UG 2025 RANK** 



with ALLEN's FREE RANK PREDICTOR!

Click here

- **51.** Which of the following are paramagnetic?
  - A. [NiCl<sub>4</sub>]<sup>2-</sup>
- B. Ni(CO)
- C.  $[Ni(CN)_{d}]^{2-}$
- D.  $[Ni(H_2O)_6]^{2+}$
- E. Ni(PPh<sub>3</sub>)<sub>4</sub>

Choose the **correct** answer from the options given below:

- (1) A and C only
- (2) B and E only
- (3) A and D only
- (4) A, D and E only

# Ans. (3)

**52.** Given below are two statements:

**Statement I**: Like nitrogen that can form ammonia, arsenic can form arsine.

**Statement II:** Antimony cannot form antimony pentoxide.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct.

### Ans. (3)

- **53.** Which among the following electronic configurations belong to main group elements?
  - A. [Nel3s1
- B.  $[Ar]3d^34s^2$
- C.  $[Kr]4d^{10}5s^25p^5$
- D. [Ar]3d<sup>10</sup>4s<sup>1</sup>
- E.  $[Rn]5f^{0}6d^{2}7s^{2}$

Choose the **correct** answer from the option given below:

- (1) B and E only
- (2) A and C only
- (3) D and E only
- (4) A, C and D only

### Ans. (2)

- **54.** Dalton's Atomic theory could not explain which of the following?
  - (1) Law of conservation of mass
  - (2) Law of constant proportion
  - (3) Law of multiple proportion
  - (4) Law of gaseous volume

### Ans. (4)

- **55.** Consider the following compounds:
  - $\underline{KO}_2$ ,  $\underline{H}_2\underline{O}_2$  and  $\underline{H}_2\underline{SO}_4$ .

The oxidation states of the underlined elements in them are, respectively,

- (1) +1, -1, and +6
- (2) +2, -2, and +6
- (3) +1, -2, and +4
- (4) +4, -4, and +6

### Ans. (1)

- **56.** If the half-life  $(t_{1/2})$  for a first order reaction is 1 minutes, then the time required for 99.9% completion of the reaction is closest to:
  - (1) 2 minutes
- (2) 4 minutes
- (3) 5 minutes
- (4) 10 minutes

### Ans. (4)

- **57.** The correct order of the wavelength of light absorbed by the following complexes is,
  - A.  $[Co(NH_3)_6]^{3+}$
- B.  $[Co(CN)_6]^3$
- C.  $[Cu(H_2O)_4]^{2+}$
- D.  $[Ti(H_2O)_6]^{3+}$

Choose the **correct** answer from the options given below:

- (1) B < D < A < C
- (2) B < A < D < C
- (3) C < D < A < B
- (4) C < A < D < B

# Ans. (2)

- **58.** Which one of the following compounds can exist as cis-trans isomers?
  - (1) Pent-1-ene
  - (2) 2-Methylhex-2-ene
  - (3) 1, 1-Dimethylcyclopropane
  - (4) 1, 2-Dimethylcyclohexane

### Ans. (4)

**59.** Phosphoric acid ionizes in three steps with their ionization constant values

$$K_{a_1}, K_{a_2}$$
 and  $K_{a_3}$ , respectively,

While K is the overall ionization constant.

Which of the following statements are true?

A. 
$$\log K = \log K_{a_1} + \log K_{a_2} + \log K_{a_3}$$

- B.  $H_3PO_4$  is a stronger acid than  $H_2PO_4^-$  and  $HPO_4^{2-}$
- C.  $K_{a_1} > K_{a_2} > K_{a_3}$

D. 
$$K_{a_1} = \frac{K_{a_3} + K_{a_2}}{2}$$

Choose the **correct** answer from the options given below:

- (1) A and B only
- (2) A and C only
- (2) B, C and D only
- (4) A, B and C only

Ans. (4)

Predict Your NEET-UG 2025 RANK



with **ALLEN**'s
FREE RANK PREDICTOR!

Click here



Which one of the following reactions does NOT give benzene as the product?

(1) 
$$\sim$$
 O Na  $\sim$  Sodalime  $\sim$ 

- red hot Iron Tube (3) H–C≡C–H. -
- $-\stackrel{\bigoplus}{N} \equiv N \stackrel{\Theta}{\underset{Cl}{\bigcap}} \stackrel{H_2O}{\xrightarrow{warm}}$

# Ans. (4)

**61**. If the molar conductivity  $(\Lambda_m)$  of a 0.050 mol L<sup>-1</sup> solution of a monobasic weak acid is 90 S cm<sup>2</sup> mol<sup>-1</sup>, its extent (degree) of dissociation will be

[Assume  $\Lambda_{\perp}^{\circ} = 349.6 \text{ S cm}^2 \text{ mol}^{-1}$  and

- $\Lambda_{-}^{\circ} = 50.4 \text{ S cm}^2 \text{ mol}^{-1}.$
- (1) 0.115
- (2) 0.125
- (3) 0.225
- (4) 0.215

### Ans. (3)

**62**. Given below are two statements:

> **Statement I:** A hypothetical diatomic molecule with bond order zero is quite stable.

> **Statement II:** As bond order increases, the bond length increase.

> In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both Statement I and Statement II are false
- (3) Statement I is true but Statement II are false
- (4) Statement I is false but Statement II are true

### Ans. (2)

- Out of the following complex compounds, which of **63**. the compound will be having the minimum conductance in solution?
  - (1) [Co(NH<sub>3</sub>)<sub>3</sub> Cl<sub>3</sub>]
- (2) [Co(NH<sub>3</sub>)<sub>4</sub> Cl<sub>2</sub>]
- $(3) [Co(NH_3)_6] Cl_3$
- (4) [Co(NH<sub>3</sub>)<sub>5</sub> Cl] Cl

# Ans. (1, 2)

with ALLEN's FREE RANK PREDICTOR!

Match List - I with List - II

### List-I List-II sp<sup>3</sup>d, linear A. XeO<sub>2</sub>

- II. sp<sup>3</sup>; pyramidal B. XeF<sub>2</sub>
- XeOF<sub>4</sub> III. sp<sup>3</sup>d<sup>3</sup>; distorted octahedral
- IV. sp<sup>3</sup>d<sup>2</sup>; square pyramidal D. XeF<sub>6</sub>


Choose the **correct** answer from the options given below:


- (1) A-II, B-I, C-IV, D-III
  - (2) A-II, B-I, C-III, D-IV
- (3) A-IV, B-II, C-III, D-I
- (4) A-IV, B-II, C-I, D-III


# Ans. (1)


64.

**65**.  $C(s) + 2H_{2}(g) \rightarrow CH_{4}(g); \Delta H = -74.8 \text{ kJ mol}^{-1}$ Which of the following diagrams gives an accurate representation of the above reaction?  $[R \rightarrow reactants; P \rightarrow products]$ 









Ans. (1)



### **66.** Match **List - I** with **List - II**

	List-I (Example)		List-II	
			(Type of Solution)	
A.	Humidity	I.	Solid in solid	
B.	Alloys	II.	Liquid in gas	
C.	Amalgams	III.	Solid in gas	
D.	Smoke	IV.	Liquid in solid	

Choose the **correct** answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-II, B-I, C-IV, D-III
- (3) A-III, B-I, C-IV, D-II
- (4) A-III, B-II, C-I, D-IV

### Ans. (2)

- **67**. The correct order of decreasing basic strength of the given amines is:
  - (1) N-methylaniline > benzenamine > ethanamine > N-ethylethanamine
  - (2) N- ethylethanamine > ethanamine > benzenamine > N- methylaniline
  - (3) N- ethylethanamine > ethanamine > N- methylaniline > benzenamine
  - (4) benzenamine > ethanamine > N-methylaniline > N-ethylethanamine

Ans. (3)

- Among the following choose the ones with equal **68**. number of atoms.
  - A. 212 g of  $Na_2CO_3$ (s) [molar mass = 106 g]
  - B. 248 g of  $Na_2O$  (s) [molar mass = 62 g]
  - C. 240 g of NaOH(s) [molar mass = 40 g]
  - D. 12 g of  $H_2(g)$  [molar mass = 2 g]
  - E. 220 g of  $CO_2(g)$  [molar mass = 44 g]

Choose the **correct** answer from the options given below:

- (1) A, B and C only
- (2) A, B and D only
- (3) B, C and D only
- (4) B, D and E only

### Ans. (2)

**69.** Match **List – I** with **List – II** 

List-I			List-II	
(Name of the			(Deficiency	
	Vitamin)		disease)	
A.	Vitamin B <sub>12</sub>	I.	Cheilosis	
B.	Vitamin D	II.	Convulsions	
C.	Vitamin B <sub>2</sub>	III.	Rickets	
D.	Vitamin B <sub>6</sub>	IV.	Pernicious anaemia	

Choose the **correct** answer from the options given below:

- (1) A-I, B-III, C-II, D-IV
- (2) A-IV, B-III, C-I, D-II
- (3) A-II, B-III, C-I, D-IV
- (4) A-IV, B-III, C-II, D-I

Ans. (2)







with ALLEN's FREE RANK PREDICTOR!





- **70.** The correct order of decreasing acidity of the following aliphatic acids is:-
  - (1)  $(CH_3)_3CCOOH > (CH_3)_2CHCOOH > CH_3COOH > HCOOH$
  - (2)  $CH_3COOH > (CH_3)_2CHCOOH > (CH_3)_3CCOOH > HCOOH$
  - (3)  $HCOOH > CH_3COOH > (CH_3)_2CHCOOH > (CH_3)_3CCOOH$
  - (4)  $HCOOH > (CH_3)_3CCOOH > (CH_3)_2CHCOOH$ >  $CH_3COOH$

Ans. (3)

**71.** Given below are two statements:

**Statement I :** Ferromagnetism is considered as an extreme form of paramagnetism.

**Statement II :** The number of unpaired electrons in a  $Cr^{2+}$  ion (Z = 24) is the same as that of a  $Nd^{3+}$  ion (Z = 60).

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) Both Statements I and Statement II are true
- (2) Both Statement I and Statements II are false
- (3) Statement I is true but Statement II is false
- (4) Statement I is false bt Statements II is true

Ans. (3)

### 72. Match List-II with List-II

	List-I		List-II
	(Mixture)		(Method of
			Separation)
A.	$CHCl_3 + C_6H_5NH_2$	I.	Distillation under
			reduced pressure
B.	Crude oil in	II.	Steam
	petroleum industry		distillation
C.	Glycerol from	III.	Fractional
	spent-lye		distillation
D.	Aniline-water	IV.	Simple
			distillation

Choose the **correct** answer from the options given below:-

- (1) A-IV, B-III, C-I, D-II (2) A-IV, B-III, C-II, D-I (3) A-III, B-IV, C-I, D-II (4) A-III, B-IV, C-II, D-I
- Ans. (1)

**73.** For the reaction  $A(g) \rightleftharpoons 2B(g)$ , the backward reaction rate constant is higher than the forward reaction rate constant by a factor of 2500, at 1000 K.

[**Given**:  $R = 0.0831 L atm mol^{-1} K^{-1}$ ]

 $K_{\scriptscriptstyle D}$  for the reaction at 1000 K is

(1)83.1

(2)  $2.077 \times 10^5$ 

(3) 0.033

(4) 0.021

Ans. (3)

**74.** Given below are two statements:

**Statement I:** Benzenediazonium salt is prepared by the reaction of aniline with nitrous acid at 273-278 K. It decomposes easily in the dry state.

**Statement II:** Insertion of iodine into the benzene ring is difficult and hence iodobenzene is prepared through the reaction of benzenediazonium salt with KI. In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

Ans. (1)

**75.** How many products (including stereoisomers) are expected from monochlorination of the following compound?

(1) 2

(2) 3

(3)5

(4) 6

Ans. (4)

**76.** Among the given compound I-III, the correct order of bond dissociation energy of C-H bond marked with \* is :-

(1) II > I > III

(2) I > II > III

(3) III > II > I

(4) II > III > I

Ans. (1)

Predict Your
NEET-UG
2025 RANK



- **77.** Which one of the following compounds **does not** decolourize bromine water?
  - (1)
  - (2) OH
  - (3) CH=CH<sub>2</sub>
  - (4)  $\bigcirc$   $NH_2$

Ans. (1)

**78.** The major product of the following reaction is

$$CN \xrightarrow{\text{(i) } CH_3MgBr(excess)} CN \xrightarrow{\text{(ii) } H_3O^+}$$

$$(1) \bigcirc CH_3 OH CN$$

Ans. (2)

- **79.** Which of the following aqueous solution will exhibit highest boiling point?
  - (1) 0.01 M Urea

(2)  $0.01 \text{ M KNO}_3$ 

(3) 0.01 M Na<sub>2</sub>SO<sub>4</sub>

(4)  $0.015 \text{ M } C_6 H_{12} O_6$ 

Ans. (3)

80. Match List-I with List-II

### List-I

List-II

- A. Haber process I. Fe catalyst
- B. Wacker oxidation II. PdCl<sub>2</sub>
- C. Wilkinson catalyst III. [(PPh<sub>3</sub>)<sub>3</sub>RhCl]
- $D. \quad \text{Ziegler catalyst} \qquad \quad IV. \quad \text{TiCl}_{\scriptscriptstyle 4} \text{ with Al(CH}_{\scriptscriptstyle 3})_{\scriptscriptstyle 3}$

Choose the  ${\bf correct}$  answer from the options given below :

- (1) A-I, B-II, C-IV, D-III (2) A-II, B-III, C-I, D-IV
- (3) A-I, B-II, C-III, D-IV (4) A-I, B-IV, C-III, D-II

Ans. (3)

- **81.** 5 moles of liquid X and 10 moles of liquid Y make a solution having a vapour pressure of 70 torr. The vapour pressures of pure X and Y are 63 torr and 78 torr respectively. Which of the following is true regarding the described solution?
  - (1) The solution shows positive deviation.
  - (2) The solution shows negative deviation.
  - (3) The solution is ideal.
  - (4) The solution has volume greater than the sum of individual volumes.

Ans. (2)

- **82.** Sugar 'X'
  - A. is found in honey.
  - B. is a keto sugar.
  - C. exists in  $\alpha$  and  $\beta$  anomeric forms.
  - D. is laevorotatory.
  - 'X' is :
  - (1) D-Glucose
- (2) D-Fructose
- (3) Maltose
- (4) Sucrose

Ans. (2)

**83.** Identify the suitable reagent for the following conversion

$$OCH_3$$
  $CHO$ 

- (1) (i) LiAlH<sub>4</sub>, (ii) H<sup>+</sup>/H<sub>2</sub>O
- (2) (i) AlH(iBu), (ii) H<sub>2</sub>O
- (3) (i) NaBH<sub>4</sub>, (ii)  $H^+/H_2O$
- $(4) H_2 / Pd-BaSO_4$

Ans. (2)

Predict Your NEET-UG 2025 RANK



with **ALLEN**'s
FREE RANK PREDICTOR!

Click here



**84.** Given below are two statements : one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A) :  $\begin{subarray}{c} \begin{subarray}{c} Assertion \end{subarray}$ 

faster than  $\sim$ Cl.

**Reason (R):** Iodine is a better leaving group because of its large size.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and R are true and R is the correct explanation of A.
- (2) Both  ${\bf A}$  and  ${\bf R}$  are true but  ${\bf R}$  is not the correct explanation of  ${\bf A}$ .
- (3)  $\mathbf{A}$  is true but  $\mathbf{R}$  is false
- (4)  $\mathbf{A}$  is false but  $\mathbf{R}$  is true

### Ans. (1)

**85.** The standard heat of formation, in kcal/mol of Ba<sup>2+</sup> is .

[Given : standard heat of formation of  $SO_4^{2-}$  ion (aq) = -216 kcal/mol.

Standard heat of crystallisation of

 $BaSO_4(s) = -4.5$  kcal/mol, standard heat of formation of  $BaSO_4(s) = -349$  kcal/mol]

- (1) 128.5
- (2) -133.0
- (3) + 133.0
- (4) + 220.5

### Ans. (1)

- **86.** Total number of possible isomers (both structural as well as stereoisomers) of cyclic ethers of molecular formula  $C_4H_8O$  is :
  - (1) 6

- (2) 8
- (3) 10
- (4) 11

# Ans. (3)

- **87.** Identify the correct orders against the property mentioned
  - (A)  $H_2O > NH_3 > CHCl_3 dipole moment$
  - (B)  $\rm XeF_4 > \rm XeO_3 > \rm XeF_2 number$  of lone pairs on central atom
  - (C) O-H > C-H > N-O bond length
  - (D)  $N_2 > O_2 > H_2$  bond enthalpy

Choose the **correct** answer from the options given below:

- (1) A, D only
- (2) B, D only
- (3) A, C only
- (4) B, C only

### Ans. (1)

88. Higher yield of NO in

 $N_2(g) + O_2(g) \rightleftharpoons 2NO(g)$  can be obtained at  $[\Delta H \text{ of the reaction} = +180.7 \text{ kJ mol}^{-1}]$ 

A. higher temperature

- B. lower temperature
- C. higher concentration of N<sub>2</sub>
- D. higher concentration of O<sub>2</sub>

Choose the **correct** answer from the options given below:

- (1) A, D only
- (2) B, C only
- (3) B, C, D only
- (4) A, C, D only

### Ans. (4)

**89.** If the rate constant of a reaction is  $0.03~s^{-1}$ , how much time does it take for  $7.2~mol~L^{-1}$  concentration of the reactant to get reduced to  $0.9~mol~L^{-1}$ ?

(Given:  $\log 2 = 0.301$ )

- (1) 69.3 s
- (2) 23.1 s
- (3) 210 s
- (4) 21.0 s

### Ans. (1)

- **90.** Which one of the following reactions does **NOT** belong to "Lassaigne's test"?
  - (1) Na + C + N  $\xrightarrow{\Delta}$  NaCN
  - (2)  $2Na + S \longrightarrow Na_2S$
  - (3) Na + X  $\longrightarrow$  + NaX
  - (4)  $2CuO + C \xrightarrow{\Lambda} 2Cu + CO_2$

Ans. (4)

Predict Your NEET-UG 2025 RANK









**Get The Latest** 

# NEET-UG Special Books at Your Door Steps...!!

**JOIN THE JOURNEY OF LEARNING** 

with


NCERT Fast Track | NCR | RACE
Extra Edge | Experimental | 11 Years Papers
Handbooks | At a Glance | Physics Express



Available in HINDI, ENGLISH & GUJARATI

**SHOP NOW** 





SIMPLIFY. VISUALIZE. REVISE.

with FAST TRACK 2.0!

NCERT Fast Track पढ़े Selection कि ओर बढ़े

**SHOP NOW** 

Available in HINDI & ENGLISH